


MELWA

A trusted Brand that Powers Your Construction



SEAL OF DISTRIBUTOR



MELWIRE ROLLING Pvt LTD.

No 30/2-7, Abdul Jabar Mawatha, Colombo 12, Sri Lanka
Tel: +94 112 473 902-6, +94 112 458 342 | Fax: +94 112 399 805
E-mail: marketing@melwire.com

www.melwire.com


WE BUILD A SUSTAINABLE NATION



MELWA

GI TUBES & GI PIPES





MELWA GITUBES & GI PIPES



PRODUCT SPECIFICATIONS GI PIPES

Dimension (Inches)	Dimension (mm)	Thickness (mm)	Length (m)	Weight (kg)	No.of bars per bundle
1/2	21.00	1.20	5.5	3.50	114
1/2	21.00	1.40	5.5	4.00	114
1/2	21.00	1.60	5.5	4.50	114
1/2	21.00	1.80	5.8	5.20	114
1/2	21.00	2.00	5.8	5.70	114
3/4	27.00	1.20	5.5	4.30	114
3/4	27.00	1.40	5.5	5.20	114
3/4	27.00	1.60	5.5	5.60	114
3/4	27.00	1.80	5.8	6.50	114
3/4	27.00	2.00	5.8	7.20	114
1	33.70	1.20	5.5	5.40	61
1	33.70	1.40	5.5	6.20	61
1	33.70	1.60	5.5	7.00	61
1	33.70	1.80	5.8	8.50	61
1	33.70	2.00	5.8	9.50	61
1	33.70	2.30	5.8	10.80	61
1	33.70	3.00	5.8	14.00	61
1 1/4	42.40	1.40	5.5	7.80	61
1 1/4	42.40	1.60	5.5	8.80	61
1 1/4	42.40	1.80	5.8	10.80	61
1 1/4	42.40	2.00	5.8	11.80	61
1 1/4	42.40	2.30	5.8	13.40	61
1 1/4	42.40	3.00	5.8	17.70	61
1 1/4	42.40	3.20	5.8	18.30	61
1 1/2	48.00	1.60	5.5	10.70	37
1 1/2	48.00	1.80	5.8	12.30	37
1 1/2	48.00	2.00	5.8	13.50	37
1 1/2	48.00	2.30	5.8	15.50	37
1 1/2	48.00	3.00	5.8	20.00	37
1 1/2	48.00	3.20	5.8	20.70	37
1 1/2	48.00	3.20	6.0	21.20	37
2	60.30	1.60	5.8	13.80	37
2	60.30	1.80	5.8	15.60	37
2	60.30	2.00	5.8	17.00	37
2	60.30	2.30	5.8	20.00	37
2	60.30	3.00	5.8	26.00	37
3	88.90	2.00	5.8	25.00	37
3	88.90	3.00	5.8	37.00	37
4	114.30	2.00	5.80	32.00	14
4	114.30	3.00	5.80	50.00	14

PRODUCT SPECIFICATIONS GI BOX (RECTANGLE)


Bar Size (Inches)	Box Size (mm)	Thickness (mm)	Length (m)	Weight (kg)	No.of bars per bundle
1 1/2 x 3/4	38 x 19	1.20	5.5	6.00	50
1 1/2 x 3/4	38 x 19	1.40	5.5	6.90	50
1 1/2 x 3/4	38 x 19	1.60	5.5	7.80	50
1 1/4 x 1 3/4	32 x 45	1.20	5.5	6.00	50
1 1/4 x 1 3/4	32 x 45	1.40	5.5	7.00	50
1 1/4 x 1 3/4	32 x 45	1.60	5.5	8.00	50
2 x 1	50 x 25	1.10	5.5	7.00	50
2 x 1	50 x 25	1.20	5.5	7.50	50
2 x 1	50 x 25	1.40	5.5	8.80	50
2 x 1	50 x 25	1.60	5.5	10.40	50
2 x 1	50 x 25	2.00	5.5	12.50	50
2 x 1	50 x 25	3.00	5.5	18.30	50
3 x 1	75 x 25	1.20	5.5	10.20	50
3 x 1	75 x 25	1.40	5.5	11.90	50
3 x 1	75 x 25	1.50	5.5	13.60	50
3 x 1 1/2	75 x 38	1.20	5.5	11.80	35
3 x 1 1/2	75 x 38	1.40	5.5	13.50	35
3 x 1 1/2	75 x 38	1.60	5.5	15.50	35
3 x 1 1/2	75 x 38	2.00	5.5	19.00	35
3 x 1 1/2	75 x 38	3.00	5.5	28.60	35
4 x 2	100 x 50	1.20	5.5	15.50	35
4 x 2	100 x 50	1.40	5.5	18.00	35
4 x 2	100 x 50	1.60	5.5	20.50	35
4 x 2	100 x 50	2.00	5.5	25.50	35
4 x 2	100 x 50	3.00	5.5	37.70	35
5 x 2 1/2	120 x 63	2.00	5.5	32.50	35
5 x 2 1/2	120 x 63	3.00	5.5	50.00	35
6 x 3	152 x 75	3.00	5.5	56.00	25

PRODUCT SPECIFICATIONS GI BOX BAR (SQUARE)

Dimension (Inches)	Dimension (mm)	Thickness (mm)	Length (m)	Weight (kg)	No.of bars per bundle
1/2 x 1/2	12.7 x 12.7	1.20	5.5	2.30	100
3/4 x 3/4	19 x 19	0.90	5.5	2.80	100
3/4 x 3/4	19 x 19	1.10	5.5	3.40	100
3/4 x 3/4	19 x 19	1.20	5.5	3.80	100
3/4 x 3/4	19 x 19	1.40	5.5	4.20	100
3/4 x 3/4	19 x 19	1.60	5.5	4.70	100
3/4 x 3/4	19 x 19	2.00	5.5	6.50	100
1 x 1	25 x 25	0.90	5.5	3.80	100
1 x 1	25 x 25	1.10	5.5	4.60	100
1 x 1	25 x 25	1.20	5.5	5.00	100
1 x 1	25 x 25	1.40	5.5	5.80	100
1 x 1	25 x 25	1.60	5.5	6.70	100
1 x 1	25 x 25	2.00	5.5	8.20	100
1 1/2 x 1 1/2	38 x 38	1.10	5.5	7.00	42
1 1/2 x 1 1/2	38 x 38	1.20	5.5	7.50	42
1 1/2 x 1 1/2	38 x 38	1.40	5.5	8.80	42
1 1/2 x 1 1/2	38 x 38	1.60	5.5	10.40	42
1 1/2 x 1 1/2	38 x 38	2.00	5.5	12.50	42
1 1/2 x 1 1/2	38 x 38	3.00	5.5	18.30	42
2 x 2	50 x 50	1.20	5.5	10.00	25
2 x 2	50 x 50	1.40	5.5	11.70	25
2 x 2	50 x 50	1.60	5.5	13.70	25
2 x 2	50 x 50	2.00	5.5	16.70	25
2 x 2	50 x 50	3.00	5.5	25.00	25
3 x 3	75 x 75	1.60	5.5	20.50	20
3 x 3	75 x 75	2.00	5.5	25.50	20
3 x 3	75 x 75	3.00	5.5	37.70	20
4 x 4	100 x 100	2.00	5.5	34.50	15
4 x 4	100 x 100	3.00	5.5	51.00	15

MELWA

ශ්‍රී ලංකාවේ ඉදිකිරීම් ක්ෂේත්‍රයේ විශ්වාසවන්ත වෙළඳ නාමය



බෙදාහැරීම් නියෝජිතයාගේ මුද්‍රාව



මෙල්වයර් රෝලින් (පුද්ගලික) සමාගම

නො 122, මහා විද්‍යාල මාවත, කොළඹ 13

දුරකථන: +94 112 473 902-6, +94 112 458 342 ෆැක්ස්: +94 112 399 805

ඊමේල් : marketing@melwire.com

www.melwire.com

තිරසාර සමෘද්ධිමත් දේශයක් ගොඩනැගීම සඳහා

MELWA


GI පයිප්ප සහ බොක්ස් ඩාර්





GI පයිප්පවල විස්තරය

ප්‍රමාණය (Inches)	ප්‍රමාණය (mm)	ඝනකම (mm)	දිග (m)	බර (kg)	එක මිටියක පයිප්ප ගණන
1/2	21.00	1.20	5.5	3.50	114
1/2	21.00	1.40	5.5	4.00	114
1/2	21.00	1.60	5.5	4.50	114
1/2	21.00	1.80	5.8	5.20	114
1/2	21.00	2.00	5.8	5.70	114
3/4	27.00	1.20	5.5	4.30	114
3/4	27.00	1.40	5.5	5.20	114
3/4	27.00	1.60	5.5	5.60	114
3/4	27.00	1.80	5.8	6.50	114
3/4	27.00	2.00	5.8	7.20	114
1	33.70	1.20	5.5	5.40	61
1	33.70	1.40	5.5	6.20	61
1	33.70	1.60	5.5	7.00	61
1	33.70	1.80	5.8	8.50	61
1	33.70	2.00	5.8	9.50	61
1	33.70	2.30	5.8	10.80	61
1	33.70	3.00	5.8	14.00	61
1 1/4	42.40	1.40	5.5	7.80	61
1 1/4	42.40	1.60	5.5	8.80	61
1 1/4	42.40	1.80	5.8	10.80	61
1 1/4	42.40	2.00	5.8	11.80	61
1 1/4	42.40	2.30	5.8	13.40	61
1 1/4	42.40	3.00	5.8	17.70	61
1 1/4	42.40	3.20	5.8	18.30	61
1 1/2	48.00	1.60	5.5	10.70	37
1 1/2	48.00	1.80	5.8	12.30	37
1 1/2	48.00	2.00	5.8	13.50	37
1 1/2	48.00	2.30	5.8	15.50	37
1 1/2	48.00	3.00	5.8	20.00	37
1 1/2	48.00	3.20	5.8	20.70	37
1 1/2	48.00	3.20	6.0	21.20	37
2	60.30	1.60	5.8	13.80	37
2	60.30	1.80	5.8	15.60	37
2	60.30	2.00	5.8	17.00	37
2	60.30	2.30	5.8	20.00	37
2	60.30	3.00	5.8	26.00	37
3	88.90	2.00	5.8	25.00	37
3	88.90	3.00	5.8	37.00	37
4	114.30	2.00	5.80	32.00	14
4	114.30	3.00	5.80	50.00	14



MELWA GI පයිප්ප සහ බොක්ස් බාර්

GI බොක්ස් බාර්වල විස්තරය සෘජුකෝණාස්‍රාකාර හැඩැති (RECTANGLE)

ප්‍රමාණය (Inches)	ප්‍රමාණය (mm)	ඝනකම (mm)	දිග (m)	බර (kg)	එක මිටියක බාර් ගණන
1 1/2 x 3/4	38 x 19	1.20	5.5	6.00	50
1 1/2 x 3/4	38 x 19	1.40	5.5	6.90	50
1 1/2 x 3/4	38 x 19	1.60	5.5	7.80	50
1 1/4 x 1 3/4	32 x 45	1.20	5.5	6.00	50
1 1/4 x 1 3/4	32 x 45	1.40	5.5	7.00	50
1 1/4 x 1 3/4	32 x 45	1.60	5.5	8.00	50
2 x 1	50 x 25	1.10	5.5	7.00	50
2 x 1	50 x 25	1.20	5.5	7.50	50
2 x 1	50 x 25	1.40	5.5	8.80	50
2 x 1	50 x 25	1.60	5.5	10.40	50
2 x 1	50 x 25	2.00	5.5	12.50	50
2 x 1	50 x 25	3.00	5.5	18.30	50
3 x 1	75 x 25	1.20	5.5	10.20	50
3 x 1	75 x 25	1.40	5.5	11.90	50
3 x 1	75 x 25	1.50	5.5	13.60	50
3 x 1 1/2	75 x 38	1.20	5.5	11.80	35
3 x 1 1/2	75 x 38	1.40	5.5	13.50	35
3 x 1 1/2	75 x 38	1.60	5.5	15.50	35
3 x 1 1/2	75 x 38	2.00	5.5	19.00	35
3 x 1 1/2	75 x 38	3.00	5.5	28.60	35
4 x 2	100 x 50	1.20	5.5	15.50	35
4 x 2	100 x 50	1.40	5.5	18.00	35
4 x 2	100 x 50	1.60	5.5	20.50	35
4 x 2	100 x 50	2.00	5.5	25.50	35
4 x 2	100 x 50	3.00	5.5	37.70	35
5 x 2 1/2	120 x 63	2.00	5.5	32.50	35
5 x 2 1/2	120 x 63	3.00	5.5	50.00	35
6 x 3	152 x 75	3.00	5.5	56.00	25




GI බොක්ස් බාර්වල විස්තරය සමචතුරස්‍රාකාර හැඩැති (SQUARE)

ප්‍රමාණය (Inches)	ප්‍රමාණය (mm)	ඝනකම (mm)	දිග (m)	බර (kg)	එක මිටියක බාර් ගණන
1/2 x 1/2	12.7 x 12.7	1.20	5.5	2.30	100
3/4 x 3/4	19 x 19	0.90	5.5	2.80	100
3/4 x 3/4	19 x 19	1.10	5.5	3.40	100
3/4 x 3/4	19 x 19	1.20	5.5	3.80	100
3/4 x 3/4	19 x 19	1.40	5.5	4.20	100
3/4 x 3/4	19 x 19	1.60	5.5	4.70	100
3/4 x 3/4	19 x 19	2.00	5.5	6.50	100
1 x 1	25 x 25	0.90	5.5	3.80	100
1 x 1	25 x 25	1.10	5.5	4.60	100
1 x 1	25 x 25	1.20	5.5	5.00	100
1 x 1	25 x 25	1.40	5.5	5.80	100
1 x 1	25 x 25	1.60	5.5	6.70	100
1 x 1	25 x 25	2.00	5.5	8.20	100
1 1/2 x 1 1/2	38 x 38	1.10	5.5	7.00	42
1 1/2 x 1 1/2	38 x 38	1.20	5.5	7.50	42
1 1/2 x 1 1/2	38 x 38	1.40	5.5	8.80	42
1 1/2 x 1 1/2	38 x 38	1.60	5.5	10.40	42
1 1/2 x 1 1/2	38 x 38	2.00	5.5	12.50	42
1 1/2 x 1 1/2	38 x 38	3.00	5.5	18.30	42
2 x 2	50 x 50	1.20	5.5	10.00	25
2 x 2	50 x 50	1.40	5.5	11.70	25
2 x 2	50 x 50	1.60	5.5	13.70	25
2 x 2	50 x 50	2.00	5.5	16.70	25
2 x 2	50 x 50	3.00	5.5	25.00	25
3 x 3	75 x 75	1.60	5.5	20.50	20
3 x 3	75 x 75	2.00	5.5	25.50	20
3 x 3	75 x 75	3.00	5.5	37.70	20
4 x 4	100 x 100	2.00	5.5	34.50	15
4 x 4	100 x 100	3.00	5.5	51.00	15

MELWA

இலங்கை கட்டுமானத்துறையில் நம்பகமான விற்பனை நாமம்



விநியோகஸ்தரின் முத்திரை

மெல்வயர் ரோலிங் (தனியார்) நிறுவனம்

இல. 122, மஹா வித்தியால வீதி, கொழும்பு 13

தொ.பே: +94 112 473 902-6, +94 112 458 342

பெக்ஸ்: +94 112 399 805

ஈ-மெயில்: marketing@melwire.com


www.melwire.com




செழிப்புமிக்க நிலையான தேசத்தை கட்டியெழுப்புவதற்காக...

MELWA

GI குழாய்கள் மற்றும்
பொக்ஸ் குழாய்கள்





MELWA GI குழாய்கள் மற்றும் பொக்ஸ் குழாய்கள்



GI குழாய்களின் தகவல்கள்

GI பொக்ஸ் குழாய்களின் தகவல்கள் செவ்வக வடிவிலானது (RECTANGLE)

GI பொக்ஸ் குழாய்களின் தகவல்கள் சதுர வடிவிலானது (SQUARE)

சுற்றளவு (Inches)	சுற்றளவு (mm)	அடர்த்தி (mm)	நீளம் (m)	எடை (kg)	ஒரு பொதியிலுள்ள குழாய்களின் எண்ணிக்கை
1/2	21.00	1.20	5.5	3.50	114
1/2	21.00	1.40	5.5	4.00	114
1/2	21.00	1.60	5.5	4.50	114
1/2	21.00	1.80	5.8	5.20	114
1/2	21.00	2.00	5.8	5.70	114
3/4	27.00	1.20	5.5	4.30	114
3/4	27.00	1.40	5.5	5.20	114
3/4	27.00	1.60	5.5	5.60	114
3/4	27.00	1.80	5.8	6.50	114
3/4	27.00	2.00	5.8	7.20	114
1	33.70	1.20	5.5	5.40	61
1	33.70	1.40	5.5	6.20	61
1	33.70	1.60	5.5	7.00	61
1	33.70	1.80	5.8	8.50	61
1	33.70	2.00	5.8	9.50	61
1	33.70	2.30	5.8	10.80	61
1	33.70	3.00	5.8	14.00	61
1 1/4	42.40	1.40	5.5	7.80	61
1 1/4	42.40	1.60	5.5	8.80	61
1 1/4	42.40	1.80	5.8	10.80	61
1 1/4	42.40	2.00	5.8	11.80	61
1 1/4	42.40	2.30	5.8	13.40	61
1 1/4	42.40	3.00	5.8	17.70	61
1 1/4	42.40	3.20	5.8	18.30	61
1 1/2	48.00	1.60	5.5	10.70	37
1 1/2	48.00	1.80	5.8	12.30	37
1 1/2	48.00	2.00	5.8	13.50	37
1 1/2	48.00	2.30	5.8	15.50	37
1 1/2	48.00	3.00	5.8	20.00	37
1 1/2	48.00	3.20	5.8	20.70	37
1 1/2	48.00	3.20	6.0	21.20	37
2	60.30	1.60	5.8	13.80	37
2	60.30	1.80	5.8	15.60	37
2	60.30	2.00	5.8	17.00	37
2	60.30	2.30	5.8	20.00	37
2	60.30	3.00	5.8	26.00	37
3	88.90	2.00	5.8	25.00	37
3	88.90	3.00	5.8	37.00	37
4	114.30	2.00	5.80	32.00	14
4	114.30	3.00	5.80	50.00	14

அளவு (Inches)	அளவு (mm)	அடர்த்தி (mm)	நீளம் (m)	எடை (kg)	ஒரு பொதியிலுள்ள குழாய்களின் எண்ணிக்கை
1 1/2 x 3/4	38 x 19	1.20	5.5	6.00	50
1 1/2 x 3/4	38 x 19	1.40	5.5	6.90	50
1 1/2 x 3/4	38 x 19	1.60	5.5	7.80	50
1 1/4 x 1 3/4	32 x 45	1.20	5.5	6.00	50
1 1/4 x 1 3/4	32 x 45	1.40	5.5	7.00	50
1 1/4 x 1 3/4	32 x 45	1.60	5.5	8.00	50
2 x 1	50 x 25	1.10	5.5	7.00	50
2 x 1	50 x 25	1.20	5.5	7.50	50
2 x 1	50 x 25	1.40	5.5	8.80	50
2 x 1	50 x 25	1.60	5.5	10.40	50
2 x 1	50 x 25	2.00	5.5	12.50	50
2 x 1	50 x 25	3.00	5.5	18.30	50
3 x 1	75 x 25	1.20	5.5	10.20	50
3 x 1	75 x 25	1.40	5.5	11.90	50
3 x 1	75 x 25	1.50	5.5	13.60	50
3 x 1 1/2	75 x 38	1.20	5.5	11.80	35
3 x 1 1/2	75 x 38	1.40	5.5	13.50	35
3 x 1 1/2	75 x 38	1.60	5.5	15.50	35
3 x 1 1/2	75 x 38	2.00	5.5	19.00	35
3 x 1 1/2	75 x 38	3.00	5.5	28.60	35
4 x 2	100 x 50	1.20	5.5	15.50	35
4 x 2	100 x 50	1.40	5.5	18.00	35
4 x 2	100 x 50	1.60	5.5	20.50	35
4 x 2	100 x 50	2.00	5.5	25.50	35
4 x 2	100 x 50	3.00	5.5	37.70	35
5 x 2 1/2	120 x 63	2.00	5.5	32.50	35
5 x 2 1/2	120 x 63	3.00	5.5	50.00	35
6 x 3	152 x 75	3.00	5.5	56.00	25

அளவு (Inches)	அளவு (mm)	அடர்த்தி (mm)	நீளம் (m)	எடை (kg)	ஒரு பொதியிலுள்ள குழாய்களின் எண்ணிக்கை
1/2 x 1/2	12.7 x 12.7	1.20	5.5	2.30	100
3/4 x 3/4	19 x 19	0.90	5.5	2.80	100
3/4 x 3/4	19 x 19	1.10	5.5	3.40	100
3/4 x 3/4	19 x 19	1.20	5.5	3.80	100
3/4 x 3/4	19 x 19	1.40	5.5	4.20	100
3/4 x 3/4	19 x 19	1.60	5.5	4.70	100
3/4 x 3/4	19 x 19	2.00	5.5	6.50	100
1 x 1	25 x 25	0.90	5.5	3.80	100
1 x 1	25 x 25	1.10	5.5	4.60	100
1 x 1	25 x 25	1.20	5.5	5.00	100
1 x 1	25 x 25	1.40	5.5	5.80	100
1 x 1	25 x 25	1.60	5.5	6.70	100
1 x 1	25 x 25	2.00	5.5	8.20	100
1 1/2 x 1 1/2	38 x 38	1.10	5.5	7.00	42
1 1/2 x 1 1/2	38 x 38	1.20	5.5	7.50	42
1 1/2 x 1 1/2	38 x 38	1.40	5.5	8.80	42
1 1/2 x 1 1/2	38 x 38	1.60	5.5	10.40	42
1 1/2 x 1 1/2	38 x 38	2.00	5.5	12.50	42
1 1/2 x 1 1/2	38 x 38	3.00	5.5	18.30	42
2 x 2	50 x 50	1.20	5.5	10.00	25
2 x 2	50 x 50	1.40	5.5	11.70	25
2 x 2	50 x 50	1.60	5.5	13.70	25
2 x 2	50 x 50	2.00	5.5	16.70	25
2 x 2	50 x 50	3.00	5.5	25.00	25
3 x 3	75 x 75	1.60	5.5	20.50	20
3 x 3	75 x 75	2.00	5.5	25.50	20
3 x 3	75 x 75	3.00	5.5	37.70	20
4 x 4	100 x 100	2.00	5.5	34.50	15
4 x 4	100 x 100	3.00	5.5	51.00	15